



CERTIFICATE OF CONSTANCY OF PERFORMANCE

0493 - CPR - 0123

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

**Tufted broadloom carpet-FR, 100% polyamide, woven textile backing**

Total mass: 1650g/m<sup>2</sup> - 2230g/m<sup>2</sup>

Effective pile thickness: 5mm - 6mm

Loose laid on a non-combustible substrate\* according to EN 13501-1



\*Find use substrate of classes A1 or A2-s1,d0 (ISO 11838:2010 § 5.2.2)

produced by or for

**S-PRINT NV**

Ohiostraat 213

9700 Oudenaarde

België

and produced in the manufacturing plant(s)

**S-PRINT NV**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard


**EN 14041:2004/AC:2006**

under system 1 are applied and that

***the product(s) fulfil(s) all the prescribed requirements set out above.***

This certificate was first issued on April 24th, 2014 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on April 30th, 2021.

This certificate consists of 1 certificate and 1 annex

  
Inge De Witte  
certification officer

Zwijnaarde, May 15th, 2018

**CENTEXBEL • TEXTILE COMPETENCE CENTRE**

Technologiepark 7 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be • www.centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB



Annex  
of  
CERTIFICATE OF CONSTANCY OF PERFORMANCE

0493 - CPR - 0123

**Tufted broadloom carpet-FR, 100% polyamide, woven textile backing**

Related commercial names to this product group are:

- C1000 AB
- C1200 AB
- C600 AB

The obtained classification is based on the next test reports:

- Centexbel: 14.03059.01 dd 2015/11/30
- Centexbel: 18.00836.01 dd 2018/03/08

This certificate consists of 1 certificate and 1 annex



INRICHTING ERKENND EN TOEWIJZEND VAN DE BESLUITEN VAN 30 JUNI 1967 / ETABLISSEMENT RECOGNU PAR APPLICATION DE L'ARRETE LS 09 09 JANVIER 1967





**CENTEXBEL • TEXTILE COMPETENCE CENTRE**

Technologiepark 7 • BE 9052 Gent • Belgium • phone +32 9 220 41 51 • fax +32 9 220 49 55 • gent@centexbel.be • www.centexbel.be

VAT • BE 0459.218.289 • IBAN • BE 44 2100 4729 6545 • BIC • GEBABEBB



**DECLARATION OF PERFORMANCE**  
No. 0493-CPR-0123

1. Unique identification code of the product-type or product family: 0123					
2. Type, batch or serial number or any other element allowing identification of the construction product: <b>Tufted broadloom carpet-FR, 100% PA, woven textile backing with total mass between 1650 and 2230 g/m<sup>2</sup> and effective pile thickness between 5 mm and 6 mm.</b>					
3. Intended uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer: Use as floor covering(s) within a building according to the manufacturer's specifications and installation practices in accordance with EN 14041.					
4. Name, registered trade name or registered trade mark and contact address of the manufacturer: <b>S-Print nv, Ohiostraat 213, B-9700 Oudenaarde</b>					
5. System of assessment and verification of constancy of performance of the construction product: AVCP system 1					
6. In case of the declaration of performance concerning a construction product covered by a harmonised standard: Notified product certification body Centexbel: 0493 performed the determination of the product type on the basis of type testing (including sampling), initial inspection of the manufacturing plant and of factory production control, continuous surveillance, assessment and evaluation of factory production control under system 1 and issued the certificate of constancy of performance: 0493-CPR-0123.					
7. Declared performance:					
Essential characteristic	Performance	Harmonised technical specification	Essential characteristic	Performance	Harmonised technical specification
Reaction to fire EN 13501-1		EN 14041:2004 AC:2006	Electrical behaviour (dissipative) ISO 10965	NPD	EN 14041:2004 AC:2006
Content of pentachlorophenol EN 12673			Electrical behaviour (conductive) ISO 10965	NPD	
Formaldehyde emission			Thermal conductivity ISO 8302 EN 12524	NPD	
Slip resistance EN 13893			Water-tightness EN 13553	Not applicable	
Electrical behaviour (antistatic) ISO 6356	NPD				
8. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 7. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4. Signed for and on behalf of the manufacturer by: <b>Geert De Clercq, director</b> <b>Oudenaarde, 14 February 2018</b>					
